



# Status of HPC integration with fapptainer

Tomas Lindén<sup>1</sup>, Gianfranco Sciacca<sup>2</sup>, Ievgen Sliusar<sup>3</sup>

HIP<sup>1</sup>, UniBE<sup>2</sup>, UiO<sup>3</sup>



24.02.2026

NLCG meeting, Oslo and virtual, 24th of February 2026



# Contents



## 1 Using fapptainer on HPCs

## 2 Summary




*fapptainer* is a tool developed by levgen to remove container restrictions in HPC systems: <https://source.coderefinery.org/slu/fapptainer>

## CSC cPouta OpenStack VMs

- *ARC CE:s*
  - **snowarc.hip.fi**, used for sshfs submission to **Mahti**
  - **arc2lumi.hip.fi**, used for sshfs submission to **LUMI**
- *Frontier squid proxy:*
  - unnamed VM

## Un-nesting containers - [Fapptainer](#) tool



10 HEPiX Fall 2025, Lanzhou, China



# Using fapptainer on HPCs



## CSC HPC summary:

		CPU cores	nodes	<b>disk cores</b>	disk nodes	disk nodes <b>RAM/core (GB)</b>
LUMI	→2027	262 244	2 048	-	-	<b>2–8</b>
Puhti	→05/2026	27 280	682	<b>3760</b>	94	<b>4.8–37.5</b>
Mahti	→08/2026	179 712	1404	<b>7168</b>	56	<b>1.875</b>
Roihu	04/2026→	186 624	486	<b>186 624</b>	486	<b>2–4</b>



# Using fapptainer on HPCs




Figure: Timeline of ATLAS jobs on snowarc for the past five months.



# Using fapptainer on HPCs



Figure: Timeline of CMS SAM/ETF tests on snowarc from the 1st of June 2025 to the 11th of February 2026.

# Using fapptainer on HPCs




Figure: Timeline of CMS production pilots on snowarc since February 11th 2026.

# Using fapptainer on HPCs



- The global CVMFS Alien cache on the Mahti Lustre was changed to a 50 GB job local alien cache on node NVMe storage
  - This solved failures of CMS jobs
- ATLAS & CMS are running production jobs on  $\approx 160$  cores each
- The system is generally stable, but scaling up will stress the (small) VM too much
- The VM could be upgraded or we could use several VMs and try to scale up with simulation jobs only
- Sometimes the sshfs connection goes down, which can fill up the local filesystem on the VM
- Grafana shows Lustre file system errors that could be intrinsic or due to sshfs problems
- Other workflows could be tested
- Memory and CPU usage information of jobs run with fapptainer are missing, so this needs to be fixed if possible
- M. Svatos has run ATLAS jobs on up to 23.7 kcores simultaneously on LUMI using fapptainer and HyperQueue without ARC data staging

# Using fapptainer on HPCs



- We plan to go back to use also LUMI
- A common ATLAS & CMS CHEP 2026 abstract was submitted
- There were 49 Roihu pilot usage applications in total and 28 were approved. Unfortunately our application was not approved.



# Summary



- Development of fapptainer continues to enable HEP usage of HPCs like Mahti and LUMI
- The missing performance figures should be fixed for ATLAS (prmon) and CMS (HTCondor)
- Improving the sshfs stability would be needed
- LUMI usage is planned to be resumed
- Other workflows could be studied
- Performance and scaling studies would be interesting